

Section I - Product Identification

Part Number: 50079
 Product Name: S-46+ 100% SILICONE 11OZ NW
 Trade Name/Synonyms: SILICONE SPRAY
 Chemical Family: AEROSOL LUBRICANT

Section II - Hazardous Ingredients

Ingredient	CAS No.	WT %	Pel	TLV	Stel	Units	LC50,PPM	LD50, MG/KG
HEPTANE	00142-82-5	70-75	400	400	500	PPM	MIC 18333	N/A
N-BUTANE	00106-97-8	10	800	800	N/A	PPM	RAT277374	N/A
PROPANE	00074-98-6	10	1000	N/A	N/A	PPM	MLO 10000	N/A
TOLUENE	#00108-88-3	TRACE						
BENZENE	#00071-43-2	TRACE						
OSHA NON-HAZARDOUS @								
POLYDIMETHYLSILOXAN@	63148-62-9	<6						

Section III - Physical Data

Boiling Pt Deg F/C: N/A
 Vapor Pressure(MM HG):N/A
 Vapor Density(Air=1):Heavier than air
 Solubility In Water: NIL
 Physical State: AEROSOL
 Freeze PT Deg F/C: N/A
 Appearance And Odor: Clear liquid, solvent odor
 Voc:Lbs/Gal=5.24; Grams/Liter=629 ; Grams Voc/Gram Solid=N/A ; % Voc 95

Specific Gravity:0.67
 %Volatile Volume:96
 Evaporation Rate:Faster than ether
 Water/Oil Dist Coeff:0
 PH: N/A
 Threshold Odor,PPM: N/A

Section IV - Fire and Explosion Hazard Data

Classification: FLAMMABLE AEROSOL
 Combustion Products: CO, CO2
 Flash Point Deg F/C: PROPELLANT < 0 F/-18 C
 Extinguishing Media: Foam, Dry Chemical, Carbon Dioxide
 Auto Ign. Temp Deg F/C: N/A
 Special Fire Fighting Procedures:
 Firefighters should wear self-contained breathing equipment.
 Unusual Fire And Explosion Hazards:

NFPA Rating: 1,4,0 HMIS: 1,4,0
 Lel%:1.1 Uel%:10.0

MATERIAL SAFETY DATA SHEETPage 2 of 3
Revised 1/25/01
Replaces 5/25/99
Printed 2/06/01**S-46+ 100% SILICONE 110Z NW****MSDS ID: 50079**

Section IV - Fire and Explosion Hazard Data (Cont.)

Exposure to fire, heat or prolonged sunlight may cause bursting. If used in confined spaces, hazardous vapors may spread, burn or build up in low areas. Contact with flame or hot surfaces may product toxic gases.

Explosive Power: HIGH Impact Sensitive: No
Burning Rate: HIGH Static Sensitive: Yes FLAMMABLE

Section V - Health Hazard Data

Routes Of Entry: SKIN CONTACT, EYE, INHALATION

Effects Of Overexposure:

Causes eye, skin & respiratory system irritation. Excess inhalation may cause dizziness, giddiness & nausea. Extreme overexposure may result in unconsciousness & possible death. Prolonged & repeated inhalation may be harmful to respiratory system, central nervous system, liver & kidneys. Repeated & prolonged overexposure to solvents may cause permanent damage to central nervous system. Misuse or deliberate inhalation may be harmful or fatal. Ingestion causes nausea, cramps, vomiting, diarrhea. Warning: This product contains chemicals known to the State of California to cause cancer & birth defects or other reproductive harm.

Any suspected carcinogen = or > 0.1%?: No

Emergency and First Aid Procedures:

EYE: Immediately flush with plenty of water for 15 min. & call physician.
SKIN: Wash thoroughly with plenty of water & soap. Launder contaminated clothing before reuse. INHALATION: If affected, remove to fresh air, administer oxygen & call physician. INGESTION: Seek physician immediately, show label or MSDS. Do not induce vomiting. Give 1-2 glasses of water.

Section VI - Reactivity Data

Stable: Yes Conditions to Avoid: N/A
Incompatibility (Materials to Avoid): No
Hazardous Decomposition Products: CO, CO2
Hazardous Polymerization: No

Section VII - Spill or Leak Procedures

Listed In: SARA Title III; #302: No #304, Cercla: No #313: No
Steps to be Taken in Case Material is Released or Spilled:
Remove all sources of ignition. Ventilate the area. Clean up with absorbent material.
Disposal Method:
Dispose of wastes in accordance with federal, state, and local regulations.
Do not puncture, incinerate or burn containers.

Section VIII - Safe Handling and Protection Information

Ventilation-Local: Recommended Special: N/A
Mechanical: Required Other: N/A
Protective Gloves: See Below Eye Protection: Safety Glasses
Precautions in Use:

MATERIAL SAFETY DATA SHEET

Page 3 of 3
 Revised 1/25/01
 Replaces 5/25/99
 Printed 2/06/01

S-46+ 100% SILICONE 110Z NW

MSDS ID: 50079

Section VIII - Safe Handling and Protection Information (Cont.)

If ventilation is inadequate, wear approved respiratory equipment. Do not spray near sparks, flame or heated surface. GLOVES: None required under normal application where skin contact is minimal.

Estimated LD50, MG/KG: No

Estimated LC50, PPM: No

Sensitization: No

Irritant: Yes EYES, SKIN

Synergistic Agents: No

Section IX - Special Precautions

Precautions to be Taken in Handling and Storing:

Keep away from heat, sparks, flame or sources of ignition. Do not puncture, incinerate, burn or store containers above 120F(49C). Use only in well ventilated areas. Do not breathe vapor or spray mist. Avoid contact with eyes, skin & clothing. Wash thoroughly after using. In case of accident or illness, seek physician immediately, show label or MSDS.

Other Precautions:

Keep out of reach of children. Always read & follow directions on product label. Additional technical data sheets and/or material safety data sheets (MSDS) are available upon request. For professional & industrial use only.

Symbols, Abbreviations and Notations:

#=Listed in SARA Title III Section 313; @=Non-hazardous ingredient among the 5 most predominant substances; +=Contains encapsulated Silica-Crystalline or Carbon Black.

Normal product usage should not result in respirable dust that would be hazardous to the respiratory system; N/A=Not available or applicable; *=If found as dust, mist or fume; C=Ceiling limit; S=Skin designation; M=Human; RAB=Rabbits; GPG=Guinea Pigs; MIC=Mice; I=Ingestion; A=Skin absorption; LO=Little observable effect; NO=No effect; Pel=OSHA permissible exposure limit; TLV=ACGIH threshold limit value; Stel=Short term exposure limit.

All components of this product are listed or are exempt from listing on the TSCA inventory and/or the Canadian DSL or NDSL. MSDS prepared by the Corporate Compliance department.

The information and recommendations provided herein are believed to be correct as of the date hereof. However, such information and recommendations are provided without warranty of any kind and Lawson Products Inc. disclaims any and all liability or legal responsibility for use or reliance upon same.